

SAFETY DATA SHEET

Aseptic Clean Cut Salon Sanitiser

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product form: Mixture
Product name: Aseptic Clean Cut Salon Sanitiser

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Intended for professional use only.

Main use category Professional hair & beauty industry for disinfecting of hand tools and textiles such as towels and aprons.
Function or use category Sanitising of hand tools and textiles – PT2 Surface/Textile Biocidal Product, also falling under the Detergent regulation as an auxiliary washing mixture.

1.2.2 Uses advised against

Uses other than those advised.

1.3. Details of the supplier of the safety data sheet

Supplier:

Operational Address GDP Compliance Ltd
1301 Hedon Road
Hull, East Yorkshire
HU9 5NJ
United Kingdom

Telephone +44 (0)3333 444 914

Email info@gdpcomp.com

1.4. Emergency telephone number

Emergency telephone: Call NHS 111 or 999. Have product to hand when calling.

V1 December 2020

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health Hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Skin corrosion/irritation	Category 1B	H314 - Causes severe skin burns and eye damage.

Environmental Hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 1	H410 - Very toxic to aquatic life with long lasting effects.
--	------------	--

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause severe skin burns and eye damage. Very toxic to aquatic life with long lasting effects.

2.2 Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS09



GHS05



GHS07

Signal word (CLP)

Danger

Hazard statements (CLP)

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

P102 - Keep out of reach of children.

P280 - Wear protective gloves & eye protection.

P312 + P301 - IF SWALLOWED: Call 111 for medical advice/attention if you feel unwell.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P273 - Avoid release to the environment.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Child-resistant fastening

Applicable - If sold to the public.

Tactile Warning of Danger (TWD)

Applicable - If sold to the public.

Hazardous components which must be listed on the label from the fragrance:

Perfume, Methone, Eucalyptol, Isomenthone, Limonene, Pinene

2-Isopropyl-5-methylcyclohexanone	CAS # 89-80-5	INCI name	MENTHONE
1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane	CAS # 470-82-6	INCI name	EUCALYPTOL
2-Isopropyl-5-methylcyclohexanone	CAS # 491-07-6	INCI name	ISOMENTHONE
(R)-p-mentha-1,8-diene	CAS # 5989-27-5	INCI name	LIMONENE
2,6,6-trimethyl-bicyclo(3.1.1)hept-2-ene (alpha-pinene)	CAS # 80-56-8	INCI name	PINENE

Supplemental Information:

EUH208, Contains: 2-Isopropyl-5-methylcyclohexanone, 1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane, 2-Isopropyl-5-methylcyclohexanone, (R)-p-mentha-1,8-diene, 2,6,6-trimethyl-bicyclo(3.1.1)hept-2-ene. May produce an allergic reaction.

2.3 Other Hazards

No additional information available.

SECTION 3 : Composition/ Information on ingredients

3.1 Substance

Not applicable.

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzalkonium Chloride (Quaternary ammonium compounds, benzyl-c12-14 (even numbered)-alkyldimethyl, chlorides)	(CAS-No.) 68424-85-1 (EC-No.) 939-350-2	2.0	Acute Tox. 4; H302, Skin Corr. 1B; H314, Eye Dam. 1; H318, Aquatic Acute 1; H400, Aquatic Chronic 1; H410
Didecyldimethylammonium chloride INCI name: Didecyldimonium Chloride	(CAS-No.) 7173-51-5 (EC-No.) 230-525-2	2.0	Flam. Liq. 3; H226, Acute Tox. 4; H302, Skin Corr. 1B; H314, STOT SE 3; H336 Aquatic Acute 1; H400, Aquatic Chronic 2; H411
Dipotassium Phosphate	(CAS-No) 7758-11-4 (EC-No) 231-834-5	0.2	Not Classified
Disodium EDTA	(CAS-No.) 139-33-3 (EC-No.) 205-358-3	0.5	Acute Tox. 4; H332; STOT RE 2; H373
Silver Stabilised Hydrogen Peroxide	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0	0.4	Acute Tox. 4; H302, Skin Irrit.2; H315, Eye Dam. 1; H318, STOT SE 3; H335, Aquatic Chronic 3; H412
Sodium Nitrite	(CAS-No.) 7632-00-0 (EC-No.) 231-555-9	0.09	Ox. Sol.3; H272 Acute Tox.3; H301 Eye Irrit.2; H319 Aquatic Acute 1; H400
Sodium Hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5	~ 0.1	Skin Corr. 1A; H314, Eye Dam. 1; H318, Met. Corr. 1; H290
Methylene blue	(CAS-No.) 61-73-4 (EC-No.) 200-515-2 C.I. 52015	0.002	Acute Tox. 4, oral; H302 Eye Irrit.2; H319 STOT 3 (single exposure), vascular; H335 Skin Irrit.2; H315
Perfume	N/A	0.3	Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sensit.1; H317 Aquatic Chronic 3; H412

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice showing this safety data sheet and the label to medical personnel.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
First-aid measures after skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Chemical burns should be treated by a doctor. Wash contaminated clothing before re-use.
First-aid measures after eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor or poison control centre immediately.
First-aid measures after ingestion	Call a doctor or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	May cause drowsiness or dizziness
Symptoms/effects after eye contact	Causes serious eye damage - Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Potentially permanent eye damage including blindness could result.
Symptoms/effects after skin contact	Causes severe skins burns - burning pain and corrosive skin damage.
Symptoms/effects after ingestion	Nausea, vomiting. Causes digestive tract burns.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Suitable extinguishing media	Use fire-extinguishing media appropriate for chemical fires and for surrounding material. Foam. Water spray. Sand
Unsuitable extinguishing media	Do not use water jet. No carbon dioxide or dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Fire hazards	During fire, gases hazardous to health may be formed. In case of fire, the following can be released: hydrogen chloride, nitrogen oxides, hydrogen cyanide. Carbon monoxide and carbon dioxide. Oxides of the following substances: Phosphorus, Potassium.
Explosion hazard	Explosive/fire intensifier when mixed with combustible material.

5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment, and emergency procedures

General measures	Remove ignition sources. No open flames. No smoking.
6.1.1 For non-emergency personnel	
Emergency procedures	Evacuate unnecessary personnel.
6.1.2 For emergency responders	
Protective equipment	Equip clean-up crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.
Emergency procedures	Ventilate area.

6.2. Environmental precautions

Avoid discharge to drains, sewers, watercourses and public waters. Inform appropriate managerial/supervisory personnel - may require notification to appropriate authorities if liquid enters wastewater systems.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	Handle empty containers with care in case any residual product present.
Precautions for safe handling	Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only in a well-ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures	Take measures to prevent the build-up of electrostatic charge.
Storage conditions	Keep only in the original container in a cool, well ventilated place away from: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
Incompatible products	Strong bases. Strong acids. Metals. Oxidising agents.
Incompatible materials	Sources of ignition. Direct sunlight. Heat sources.
Special rules on packaging	Keep only in the original container in a cool, well ventilated place
Packaging materials	away from combustible materials.

7.3 Specific end use(s)

Professional use for sanitising non-electrical tools/equipment & textiles – PT2 Surface/Textile Biocidal Product also falling under the Detergent regulation as an auxiliary washing mixture.

SECTION 8: Exposure controls/personal protection

8.1. Control Parameters

Occupational Exposure Limits		
Chemical name	UK HSE EH40/2005 Exposure limits	GESTIS International Limit Values
Benzalkonium Chloride (Quaternary ammonium compounds, benzyl-c12-14 (even numbered)-alkyldimethyl, chlorides)	Not available	Not available
Didecyldimethylammonium chloride	Not available	Not available
Disodium EDTA	Not available	Not available
Hydrogen Peroxide	Long-term exposure limit (8-hr TWA reference period) 1 ppm or 1.4 mg.m ⁻³ Short-term exposure limit (15-minute reference period) – 2 ppm or 2.8 mg.m ⁻³	Depending on the country; ranging from: Long-term exposure limit (8-hr TWA reference period) 0.4 mg/m ³ to 1.5 mg/m ³ Short-term exposure limit (15-minute reference period) – 0.5 ppm or 0.71 mg/m ³ to 3 ppm or 4.2 mg/m ³
Sodium Nitrite	Not available	Not available
Sodium Hydroxide	Short-term exposure limit (15-minute reference period) – 2 mg.m ⁻³	Depending on the country; ranging from: Long-term exposure limit (8-hr TWA reference period) 0.5 mg/m ³ to 2 mg/m ³ Short-term exposure limit (15-minute reference period) – 1 mg/m ³ to 4 mg/m ³
Methylene blue	Not available	Not available

8.2. Exposure controls

Appropriate engineering controls:

Keep in a cool, well ventilated area. Eye wash facilities and skin washing facilities should be available when handling this product. Take measures to prevent the build-up of electrostatic charge.

Personal protective equipment:

Avoid all unnecessary exposure. Wear protective gloves & eye protection.

Respiratory protection:

No respiratory protection needed under normal, well ventilated conditions.

Other Information

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Clear blue solution
Odour	Characteristic mint
Odour threshold	No data available
pH	6.5 – 8.5
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	0.95-1.10g/mL
Solubility	No data available
Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2 – Other Information

No other information.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2 Chemical stability

Material is stable under recommended storage conditions. To avoid thermal decomposition, do not overheat.

10.3 Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Contact with incompatible materials.

10.5 Incompatible materials

Avoid contact with acids and alkalis. Oxidizing agents. Metals. Keep away from combustible material.

10.6 Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Sodium oxides. Oxygen. Oxides of the following substances: Phosphorus, Potassium. In thermal decomposition or combustion may emit toxic and corrosive fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Harmful if swallowed. Causes digestive tract burns.
Acute toxicity (dermal)	Unknown for product.
Acute toxicity (inhalation)	Unknown for product.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Additional information	No information available.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Unknown for product.
Additional information	No information available.
Germ cell mutagenicity	Unknown for product.
Additional information	No information available.
Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is expected to be identified as probable, possible or confirmed human carcinogen.
Additional information	No information available.
Reproductive toxicity	No information available.
Additional information	No information available.
STOT-single exposure	Unknown for product.
STOT-repeated exposure	Unknown for product.
Additional information	No information available.

Aspiration hazard	Unknown for product.
Additional information	No information available.
Potential adverse human health effects and symptoms	Harmful if swallowed. Causes digestive tract burns. Causes severe skin burns and eye damage. Causes serious eye damage.

ATE_{mix} = 453.3797 mg/kg

Acute Oral Toxicity – Category 4

Mixture Ingredients	CAS	Toxicological data (by ingredient)	Concentration (%w/w)	Classification (by ingredient)
1. Benzalkonium Chloride	68424-85-1	LD50 Oral LD50= 344mg/kg (mouse) LD50 Dermal LD50=3340 mg/kg(Rat)	2.0	Acute toxicity Cat 4 (oral) (Dermal) Not classified
2. Didecyldimethyl Ammonium chloride	7173-51-5	LD50 Oral LD50= 329mg/kg (rat) LD50=84mg/kg(rat) LD50=268mg/kg (mouse) Dermal LD50=>1000 mg/kg(Rat)	2.0	Acute toxicity Cat 4 (oral) (Dermal) Acute toxicity Cat 4
3. Disodium EDTA	139-33-3	LD50 Oral LD50 = >2gm/kg (Rat) LD50=2050mg/kg (mouse) LD50=2300 mg/kg(Rabbit)	0.5	(Oral) Acute toxicity Cat 4
4. Silver Stabilised Hydrogen Peroxide	7722-84-1	LD50 Oral LD50= 376mg/kg (rat) LD50=910mg/kg(rat) LD50=1518mg/kg (rat) Dermal LD50=>2000 mg/kg(Rabbit) Inhalation LD50=2000 mg/m3(Rat)	0.4	Acute toxicity Cat 4 (oral) (Dermal) Not classified (Inhalation) Not classified

5. Sodium Nitrite	7632-00-0	LD50 Oral LD50= 157.9mg/kg (rat) Inhalation LC50=5.5 mg/m3(Rat)	0.09	Acute toxicity Cat 3 (oral) (Inhalation) Acute toxicity Cat 3.
6. Sodium Hydroxide	1310-73-2	N/A	0.1	Not applicable
7. Methylene blue	61-73-4	LD50 Oral LD50= 1180mg/kg (rat) LD50=3500mg/kg(mouse)	0.002	Acute toxicity Cat 4 (oral)
8. Perfume	N/A	N/A	0.3	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)
Hazardous to the aquatic environment, long-term (chronic)

Classified as Very toxic to aquatic life under CLP regulations.

Classified as Very toxic to aquatic life with long lasting effects under CLP regulations.

12.2. Persistence and degradability

Persistence and degradability Not established

12.3. Bioaccumulative potential

Bioaccumulative potential Not established

12.4. Mobility in soil

No additional information available.

12.5. Results of PTB and vPvB assessment

No additional information available.

12.6. Other adverse effects

Additional information Avoid release to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal recommendations

Dispose of contents/container in a safe manner to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.






Additional information

Handle empty containers with care due to residual product.

Ecology – waste materials

Avoid release to the environment.

SECTION 14: Transport information


ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1903	UN 1903	UN 1903	UN 1903	UN 1903
14.2. UN proper shipping name				
DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
Transport document description				
DISINFECTANT, LIQUID, CORROSIVE, N.O.S. 8, II, 2(E)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. 8, II,	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. 8, II,	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. 8, II,	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. 8, II,
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the

environment: Yes	environment: Yes, Marine pollutant: Yes	environment: Yes	environment: Yes	environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	C9
Special provisions (ADR)	274
Limited quantities (ADR)	1 L
Excepted quantities (ADR)	E2
Packing instructions (ADR)	P001, IBC02
Mixed packing provisions (ADR)	MP15
Portable tank and bulk container instructions (ADR)	N/A
Portable tank and bulk container special provisions (ADR)	N/A
Tank code (ADR)	L4BN
Vehicle for tank carriage	AT
Transport category (ADR)	2
Special provisions for carriage - Packages (ADR)	N/A (If Packaging group III - V12)
Special provisions for carriage - Operation (ADR)	S20
Hazard identification number (Kemler No.)	80
Orange plates	



Tunnel restriction code (ADR)	2(E)
-------------------------------	------

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Unknown.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

EU Young People at Work Directive 94/33/EC – ingredients in the product are found in the list of biological and chemical agents to which young persons (under 18 years of age) may not be exposed at the workplace. As such an appropriate warning is included on the label.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.

REGULATION (EU) No 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2012 concerning the making available on the market and use of biocidal products.

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out by supplier.

SECTION 16: Other information

General information

Use biocides safely. Always read the label and product information before use.

Revision date

9.12.2020

Revision

1

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:		
Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Skin corrosion/irritation	Category 1B	H314 - Causes severe skin burns and eye damage.
Hazardous to the aquatic environment, long-term aquatic hazard	Category 1	H410 - Very toxic to aquatic life with long lasting effects.

Full text of H-statements:	
Acute Tox. 4; H302,	Acute toxicity, oral Category 4 H302 - Harmful if swallowed
Skin Corr. 1B; H314,	Skin corrosion/irritation Category 1B H314 - Causes severe skin burns and eye damage
Aquatic Chronic 1; H410	Hazardous to the aquatic environment, long-term aquatic hazard Category 1 H410 Very toxic to aquatic life with long lasting effects
Eye Dam. 1; H318	Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage
Aquatic Acute 1; H400	Hazardous to the aquatic environment, acute aquatic hazard Category 1 H400 Very toxic to aquatic life
Flam. Liq. 3; H226	Flammable liquids, Category 3 H226 Flammable liquid and vapour
STOT SE 3; H336	Specific Target Organ Toxicity – Single Exposure Category 3 H336 May cause drowsiness or dizziness
Aquatic Chronic 2; H411	Hazardous to the aquatic environment, long-term aquatic hazard Category 2 H411 Toxic to aquatic life with long lasting effects
Acute Tox. 4; H332	Acute toxicity, Inhalation Category 4 H332 Harmful if inhaled
STOT RE 2; H373	Specific Target Organ Toxicity – Repeat Exposure Category 2 H373 May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure
Skin Irrit.2; H315	Skin corrosion/irritation Category 2 H315 Causes skin irritation
STOT SE 3; H335	Specific Target Organ Toxicity – Single Exposure Category 3 H335 May cause respiratory irritation
Aquatic Chronic 3; H412	Hazardous to the aquatic environment, long-term aquatic hazard Category H412 Harmful to aquatic life with long lasting effects
Ox. Sol.3 H272	Oxidising solids Category 3 H272 May intensify fire; oxidiser
Acute Tox.3 H301	Acute toxicity, oral Category 3 H301 Toxic if swallowed
Met. Corr. 1 H290	Metal Corrosion Category 1 H290 May be corrosive to metals
Eye Irrit.2 H319	Eye Irritation Category 2 H319 Causes serious eye irritation



Note: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product

Version	Reason
Version 1	First Issue